




Specifications	MZ66C	MZ76C	MZ90C
Platform:			
Working Height	66 ft. (20.12 m)	76 ft. (23.16 m)	90 ft. (27.43 m)
Platform Height	60 ft. (18.29 m)	70 ft. (21.34 m)	84 ft. (25.60 m)
Horizontal Reach	55 ft. 3 in. (16.84 m)	64 ft. 8 in. (19.71 m)	80 ft. 1 in. (24.41 m)
Platform Capacity	750 lbs. (340 kg)	600 lbs. (272 kg)	600 lbs. (272 kg)
Dimensions:			
Platform Size	42 x 72 in. (1.07 x 1.83 m)	42 x 72 in. (1.07 x 1.83 m)	42 x 72 in. (1.07 x 1.83 m)
Overall Height (Stowed)	8 ft. 4 in. (2.54 m)	8 ft. 6 in. (2.59 m)	8 ft. 6 in. (2.59 m)
Overall Length	31 ft. 2 in. (9.50 m)	34 ft. 4 in. (10.46 m)	40 ft. 3 in. (12.30 m)
Overall Width	7 ft. 11 in. (2.41 m)	7 ft. 11 in. (2.41 m)	9 ft. 10 in. (3.0 m)
Wheelbase	96 in. (2.44 m)	96 in. (2.44 m)	96 in. (2.44 m)
Turning Radius Outside	27 ft. (8.23 m)	27 ft. (8.23 m)	30 ft. (9.14 m)
Ground Clearance	13 in. (0.33 m)	14 in. (0.36 m)	14 in. (0.36 m)
Tailswing (beyond tires)	5 ft. 3.5 in. (1.61 m)	5 ft. 3.5 in. (1.61 m)	4 ft. 11 in. (1.5 m)
Performance:			
Maximum Drive Speed	3.0 mph (4.8 km/h)	3.0 mph (4.8 km/h)	3.0 mph (4.8 km/h)
Gradeability (Theoretical)*	25%	20%	20%
Tire Size	15 x 22.5-16PR	445/65R22.5-20PR	445/65R22.5-20PR
Tire Fill	Air	Foam	Foam
Power Source:			
Engine Make/Model	Ford CSG-649	Ford CSG-649	Ford CSG-649
Engine Horsepower	110 hp	110 hp	110 hp
Fuel Tank Capacity	30 gal. (114 liters)	30 gal. (114 liters)	30 gal. (114 liters)
Hydraulics:			
Reservoir Capacity	50 gal. (189 liters)	50 gal. (189 liters)	50 gal. (189 liters)
Hydraulic Pump Type	Axial Piston	Axial Piston	Axial Piston
Auxiliary Power	Std.	Std.	Std.
Shipping Information:			
Weight	31,600 lbs. (13 470 kg)	39,600 lbs. (16 330 kg)	42,400 lbs. (18 920 kg)
Shipping Cube	1,964 cu. ft. (55.6 m ³)	2,152 cu. ft. (60.9 m ³)	3,260 cu. ft. (92.3 m ³)

* Published machine gradeability is theoretical. Machine to be in a stowed driving position.
Always operate machine on a firm, level surface when elevated.

MZ66C/MZ76C



	MZ66C	MZ76C
A	8' 4" (2.54 m)	8' 6" (2.59 m)
B	3' 4" (1.02 m)	3' (0.91 m)
C	1' 1" (0.33 m)	1' 2" (0.36 m)
D	31' 2" (9.50 m)	34' 4" (10.46 m)
E	1' 2-1/2" (0.37 m)	1' 2-3/4" (0.38 m)

MZ90C

